

# Povzetek

V diplomski nalogi sem se posvetil nekaterim podproblemom na področju prepoznavanja vzorcev. Najprej sem se posvetil definiciji oblike, merilom podobnosti ter osnovam fraktalnih oblik, katerih deli so enaki celoti. Zatem sem podal nekaj idej v zvezi s primerjanjem nizov, konveksnostjo poligonov in prepoznavanjem vzorcev. Nadaljeval sem z urejenostjo na ravnini - kako učinkovito preiskovati okolice. V ta namen sem izbral štiriška drevesa, v katerih so shranjene točke in daljice. Takšna urejenost je nujna, da lahko hitro preverimo hipoteze. Implementiral sem tudi algoritem za filtriranje in primerjanje oblik in ga preizkusil na nekaj primerih.

*Math. Subj. Clas. (2000):* 28A78, 28A75, 28A80, 52-04, 62H30, 62H38, 68P05, 68T10.

*Ključne besede:* Oblika, fraktali, poligoni, podobnost - različnost, primerjanje nizov, konveksnost, štiriška drevesa.

*Key words:* Shape, fractals, polygons, similarity - dissimilarity, string comparison, convexity, quadtrees.

# Literatura

- [1] P. K. AGARWAL K. R. VARADARAJAN, Efficient algorithms for approximating polygonal chains, *Discrete and computational geometry* (23), **2** (2000), 273–291.
- [2] H. ALT, O. AICHHOLZER, G. ROTE, Matching shapes with a reference point, *International Journal of Computational Geometry and Applications* (7), **4** (1997), 349–363.
- [3] H. ALT, L. J. GUIBAS, Discrete geometric shapes: matching, interpolation and approximation - a survey, *Handbook of Computational Geometry*, (1999), 121–153.
- [4] V. BATAGELJ, M. BREN, Comparing resemblance measures, *Journal of Classification*, **12** (1995), 73–90.
- [5] M. BOBEN, A. ORBANIČ, T. PISANSKI, A. GRAOVAC, Pattern matching of colored point sets in 3D, *Preprint series, IMMF, Ljubljana*, **40** (2002), 830.
- [6] B. B. CHAUDHURI, Applications of quadtree, octree and binary tree decomposition techniques to shape analysis and pattern recognition, *PAMI* (7), **6** (1985), 652–661.
- [7] I. GARGANTINI, An effective way to represent quadtrees, *Commun. ACM* (25), **12** (1982), 905–910.
- [8] J. E. GOODMAN, J. O'ROURKE, *Handbook of discrete and computational geometry*, CRC Press, 1997.
- [9] E. HAINES, Point in polygon strategies, *Graphics Gems*, **IV** (1994), 24–46.
- [10] G. R. HJALTASON, H. SAMET, Speeding up construction of PMR Quadtree-based spatial indexes, *The VLDB Journal*, **11** (2002), 109–137.
- [11] G. M. HUNTER, K. STEIGLITZ, Operations on images using Quad trees, *PAMI* (1), **2** (1979), 145–153.
- [12] M. INDIHAR ŠTEMBERGER, Kompresija slik s fraktali, *Obzornik za matematiko in fiziko* (42), **2** (1995), 38–50.
- [13] A. KORES, *Razdalja med besedami in segmentacija tekstov za izračun slovarjev*, neobjavljeni, 2002.
- [14] L. J. LATECKI, R. LAKAEMPER, Application of planar shape comparison to object retrieval in image databases, *Pattern Recognition*, **35** (2002), 15–29.

- [15] Z. LEI, T. TASDIZEN, D. B. COOPER, PIMs nad invariant parts for Shape recognition, *Proceedings of Sixth International Conference on Computer Vision*, ICCV'98 (1998), 827–832.
- [16] A. LEONARDIS, *Hierarhična predstavitev oblike pri razpoznavanju in lokalizaciji dvo-razsežnih vzorcev*, Magistrsko delo, FE, Ljubljana, 1988.
- [17] A. LEONARDIS, H. BISCHOF, Robust recognition using eigenimages, *Computer vision and image understanding*, **78** (2000), 99–118.
- [18] L. MAREK-CRNJAC, Sebi podobnost in dimenzija fraktalov, *Obzornik za matematiko in fiziko* (41), **5** (1994), 141–147.
- [19] D. M. MARK, D.J. ABEL, Linear quadtrees from vector representations of polygons, *PAMI* (7), **3** (1985), 344–349.
- [20] P. MATTILA, *Geometry of sets and measures; fractals and rectifiability*, Cambridge University Press, 1995.
- [21] N. PAVEŠIĆ, *Razpoznavanje vzorcev - Uvod v analizo in razumevanje vidnih in slušnih signalov*, Založba FE in FRI, Ljubljana, 2000.
- [22] H. O. PEITGEN, H. JUERGENS, D. SAUPE, *Chaos and fractals; new frontiers of science*, Springer-Verlag, New York, 1992.
- [23] A. ROSENFIELD, H. SAMET, C. SHAFFER, R. E. WEBBER, Application of hierarchical data structures to geographical information systems, *Computer science, Univ. of Maryland*, **1197** (1982), 15–29.
- [24] H. SAMET, Neighbor finding techniques for images represented by quadtrees, *CGIP* (18), **1** (1982), 37–57.
- [25] G. SCHRACK, Finding neighbors of equal size in linear quadtrees in constant time, *CVGIP* (55), **3** (1992), 221–230.
- [26] C. A. SHAFFER, H. SAMET, Optimal Quadtree construction algorithms, *CVGIP* (37), **3** (1987), 402–419.