

Kratek povzetek vsebine

V uvodu bomo na kratko opisali načine iskanja lastnih vrednosti in lastnih vektorjev. V 2. poglavju bomo definirali lastne vrednosti in lastne vektorje, nato pa si bomo pogledali algoritem na primeru. V 3. poglavju sledi dokaz tega algoritma. V 4. poglavju bomo obravnavali razširitev algoritma za iskanje posplošenih lastnih vektorjev. Algoritem bomo preizkusili tudi na primeru. V 5. poglavju sledi prikaz algoritma na še enem primeru. V 6. poglavju pa si lahko preberete nekaj zaključnih pripomb.

Math. Subj. Class. (2000): 15A18

Ključne besede: lastna vrednost, lastni vektor, matrika, linearna odvisnost, linearna neodvisnost, generirani vektor, začetni vektor, prostor lastnih vektorjev, posplošeni lastni vektor

Keywords: eigenvalue, eigenvector, matrix, linear dependence, linear independence, generated vector, seed, eigenspace, generalized eigenvector

Literatura

- [1] W. A. McWorter, Jr. in L. Y. Meyers. Computing eigenvalues and eigenvectors without determinants, *Math. Mag.* 71, No.1, str. 24–33, 1998. Dostopno na naslovu: <http://www.jstor.org/pss/2691340>
- [2] Sheldon Axler, Down with determinants, *Amer. Math. Monthly* 102 (1995), str. 139–154.
- [3] Albert A. Bennett, Construction of a rational canonical form for a linear transformation, *Amer. Math. Monthly* 38 (1931), str. 377–383.
- [4] F. S. Cater, An elementary development of the Jordan canonical form, *Amer. Math. Monthly* 69 (1962), str. 391–393.
- [5] F. S. Cater, *Lectures on Real and Complex Vector Spaces*, Saunders, Philadelphia, PA, 1966.
- [6] A. M. Danilevskii, On the numerical solution of the secular equation (Russian), *Matem. Sb. (Rec. Math.)*, vol. 2, 44 (1937), str. 159–162.
- [7] D. K. Faddeev and V. N. Faddeeva, *Computational Methods of Linear Algebra* (Russian), Fizmatgiz, Moscow, 1960; angl. prevod: W. H. Freeman, San Francisco, CA, 1963.
- [8] G. Kowalewski, *Einführung in die Determinantentheorie*, 3rd ed., Walter de Gruyter, Berlin, 1942; ponatis Dover Pubs., New York, NY, 1948. See esp. str. 298–314.
- [9] G. Kowalewski, Natürliche Normalformen linearer Transformationen, *Ber. Sächs. Ges. d. Wissenschaften*, Math - Phys. Kl., vol. 69 (1917), str. 325–335.
- [10] A. N. Krylov, On the numerical solution of the equation which in technical questions determines the oscillation frequencies of material systems (Russian), *Izv. Akad. Nauk SSR, Otdel. Mat. i Estest. Nauk*, (1931), str. 491–539.
- [11] O. May, Who Killed determinants?, talk given at MAA session on Jan. 28, 1966; abstract in *Amer. Math. Monthly* 73 (1966), str. 440. Na volju tudi filmski posnetek.
- [12] W. A. McWorter, Jr., An algorithm for the characteristic polynomial, *Math. Mag.* 56 (1983), str. 168–175.

- [13] E. Nering, *Linear Algebra and Matrix Theory*, Wiley, New York, NY, 1963; 2nd ed., 1970.